


# F92A



(F92A ON/OFF )

가

ON/OFF



가



가

TL-L

TL-L/PLY

F2LP

E2R

GLS

B7AP

F92A

( )	M18
	5mm
	F92A-C-1

( )

가	P.822
---	-------

	F92A-C-1
	5mm( )
	0~4.5mm
	1ms
	: -25~+70 ( , )
	: 35~95%RH ( , )
	50M (DC500V 가 )
	AC1,000V 50/60Hz 1min
( )	10~55Hz 1.5mm X,Y,Z 2h
( )	1,000m/s <sup>2</sup> [100G] X.Y.Z 10
	IEC IP67[JEM IP67g ( , )]
	( 2m)
가	E2E-X5E1, -X5E2, -X5Y1, X5Y2 E2F-X5E1, -X5E2, -X5F1, -X5F2, X5Y1, X5Y2
	160g
	ABS




ON/OFF  
F92A

F92A  
ON )  
F92A



(電磁)  
( )  
가

E2E-X5E

가




( )







- 
- 
- : 1
- : 10M
- . 1mA, 500mV 가
- D4C-42 , WL01 -55
- 가
- 가

A



( : mm)

F92A-C-1



\* 0.5mm<sup>2</sup> 2 ( 6, 2m )  
5m ( )

